



TEST REPORT

Job No./Report No TR2587945

Date: 06 January 2025

Page 1 of 7

The following sample(s) was (were) submitted and identified by/on behalf of the client as:

	the telletting campio(s)	was (word) submitted and identified by on behalf of the client as:					
l	Sample No.	Sample Description					
	A	Woven fabric in Grey					

Client's reference No.

: TR 2587945 : Not Provided Not Provided

Order No. Model/Style No.

Buyer

Article No. Age Grade Manufacturer Country of Origin

: KNOKKE 3290 Not Provided **TEXDECOR** TURKEY : Not Provided Not Provided

Country of Destination **Shipment Date** Fiber Composition Fabric Weight

Not Provided Claimed to be 480 g/m²

End Use Agency Sample Receiving Date

: Not Provided 17 December 2024

KNOKKE 3290

Test Performing Period

17 December 2024~06 January 2025

Submitted Care Label Instructions: : Not Provided

Overall Conclusion

See Results

Test Results

: Please refer to the next page(s).

Performed Test Summary:

Selected test(s) as requested by client against Client's performance standard.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions/lerms-e-document.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified in the test result table.

SGS applied shared risk decision rule.
SGS applied shared risk decision rule.
SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.
Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30

In this Test Report tests marked (1) are included in the TURKAK Accreditation Scope of this Laboratory.

SGB Supervise Gozetine Eluif Kuntrol Servisten A S Bağtar Mah, Osmanpaşa Cad. No 95 İş İstanbul Plaza A Girişi Güneşti 34209 İstanbul Türkiye t +90 212 368 40 00 f +90 212 296 47 82-83 eşgs.turkey@sgs.com www.sgs.com.tr



TEST REPORT Job No./Report No TR2587945 Date:06 January 2025 Page 2 of 7 **Test Parameters** Result Physical tests Δ NF P 92-504:1995 Flame persistence test M1-PASS

Remarks	M = Meets client's requirement
	F = Does not meet client's requirement
	I = Inconclusive
	* = No specified requirement
Notes:	Conclusions on meet/fail are based on the test result from the actual sampling of the received sample(s).
	Residual sample can be returned to client if requested.

The test results relate to the tested items only.

Test reports without SGS seal and authorised signatures are invalid.

Issued in Istanbul Signed for and on behalf of

SGS Supervise Gözetme Etüd Kontrol Servisleri A.Ş.

GÖNÜL UMUT BANU ÜLGÜR Customer Services Supervisor Customer Services Team Leader

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions and, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified

In the test result table.
SGS applied shared risk decision rule.
SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.
Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."
In this Test Report tests marked (1) are included in the TURKAK Accreditation Scope of this Laboratory



TEST REPORT

Job No./Report No TR2587945

Date:06 January 2025

Page 3 of 7

I. Test conducted

This test was conducted according to NF P 92-507:2004 Fire safety - building-interior fitting materials -Classification according to their reaction, and the test methods as following:

- 1. NF P 92-503:1995 Safety against fire Building materials Reaction to fire tests Electrical burner test used for flexible materials.
- 2. NF P 92-504:1995 Safety against fire Building materials Reaction to fire tests Flame persistence test and speed of the spread of flame.

II. Sample details

Sample description	Fabric
Color	Grey
Area density	About 480 g/m ²
Specimen size	600 mm × 180 mm (NF P 92-503) 460 mm × 230 mm (NF P 92-504)

III. Conditioning

Prior to testing, the sample was conditioned in an atmosphere having a temperature of 23±2°C and a relative humidity of 50±5% for 7 days or until constant mass is obtained.

IV. Test results

i) NF P 92-503:1995 Electrical burner test

Back, Length

During the testing, the following details are noted	1	2	3	4	Average
Hole (Yes/No)	Yes	Yes	Yes	Yes	
Applied time (s)	20	20	20	20	12.5
Max. afterflame time after withdrawal the pilot flame (s)	0	0	0	0	0
Afterglow time (s)	0	0	0	0	1 0
Flaming molten droplets (Yes/No)	No	No	No	No	
Non-flaming molten droplets (Yes/No)	No	No	No	No	
Flaming debris (Yes/No)		No	No	No	

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions/terms-e-document.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified

SGS applied shared risk decision rule.
SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."
In this Test Report tests marked (1) are included in the TURKAK Accreditation Scope of this Laboratory.

Bağlar Mah. Osmanpaşa Cad. No.95 İş İstanbul Plaza A Girişi Güneşli 34209 İstanbul Türkiye t +90 212 368 40 00 - 1 +90 212 296 47 82 83 - a sgs.lurkey@sgs.com - w www.sgs.com tr



TEST REPORT Job No./Report No TR2587945 Non-flaming debris (Yes/No)		Date:06 Ja	anuary 2025	i Pac	e 4 of 7
	No	No	No	No	
White-hot spots with propagation effects (Yes/No)	No	No	No	No	

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions/terms-e-document.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or in the test result also.

In the test result table.

SGS applied shared risk decision rule.

SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30

In this Test Report tests marked (1) are included in the TURKAK Accreditation Scope of this Laboratory.



ST REPORT Job No./Report No TR2587945	Date:06	January 2025	5 Page	5 of 7	
After testing, the following details are noted	1	2	3	4	
Max. destruction length from the lower edge (mm)	58	55	61	59	
Average destruction length (mm)	58.3				
Max. width of the destroyed zones between 450mm and 600mm from the test piece lower edge (mm)	0	0	0	0	
Average destroyed width (mm)		0			

ii) NF P 92-504:1995 Flame persistence test

Back, Length

Ignition time	After-flame time (s)	Flaming Drops (Yes/No)	Non-flaming Drops (Yes/No)	Ignition times	After-flame time (s)	Flaming Drops (Yes/No)	Non-flaming Drops (Yes/No)
1	0	No	No	16	0	No	No
2	0	No	No	17	0	No	No
3	0	No	No	18	0	No	No
4	0	No	No	19	0	No	No
5	0	No	No	20	0	No	No
6	0	No	No	21	0	No	No
7	0	No	No	22	0	No	No
8	0	No	No	23	0	No	No
9	0	No	No	24	0	No	No
10	0	No	No	25	0	No	No
11	0	No	No	26	0	No	No
12	0	No	No	27	0	No	No
13	0	No	No	28	0	No	No
14	0	No	No	29	0	No	No
15	0	No	No	30	0	No	No

Number of tested specimens: 4

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms.and_conditions and, Attention is drawn to the ilmitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified SGS applied shared risk decision rule.

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

In this Test Report tests marked (1) are included in the TURKAK Accreditation Scope of this Laboratory.



TEST REPORT

Job No./Report No TR2587945

Date:06 January 2025

Page 6 of 7

Annex I, Requirements

Table 1 Resume of classification for flexible materials which thickness no more than 5mm

Test Items			Criteria of classific	ation	
Test for hot melt materials		Not ignite the wadding	Not ignite the wadding	Ignite the wadding	Ignite the wadding
Electrical Burner Test ^{a)}	No drops	Non-flaming molten droplets	Flaming drops or debris	Non-flaming molten droplets	Flaming drops or debris
Inflammation ≤ 5s	M1	M1	M2	M4	M4
Inflammation > 5s and Average destroyed length <350 mm	M2	M2	М3	M4	M4
Inflammation > 5s and Average destroyed width <90 mm between the 450 mm and 600 mm in length	МЗ	М3	M4	M4	M4
Flame Spread Test (flame spread < 2 mm/s)			M4	M4	M4

a) If the materials presented a particular behaviour, the classification also need to refer to Table 3. The details of classification M0 refer to clause 3.3 of NF P 92-507:2004.

Table 3 Resume of classification for the materials presented a particular behaviour

Test Items	Criteria of classification						
Test for hot melt materials		Not ignite the wadding	Not ignite the wadding	Ignite the wadding	Ignite the wadding		
Flame Persistence Test	No drops	Non-flaming molten drops	Flaming drops or debris	Non-flaming molten drops	Flaming drops or debris		
Flame persistence time≤2s	M1	M1	M2	M4	M4		
Flame persistence time≤5s	M2	M2	МЗ	M4	M4		

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions and, Attention is drawn to the limitation of liability, Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this invalid. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or in the test result table.

See senting the predictive decision with

SGS applied shared risk decision rule.
SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30

In this Test Report tests marked (1) are included in the TURKAK Accreditation Scope of this Laboratory

Bağlar Mah. Osmanpaga Cad. No.95 İş İstənbul Plaza A Girişi Güneşli 34209 İstanbul Türkiye t +90 212 368 40 00 - f +90 212 296 47 82 83 - e sgs.turkey@sgs.com - w.www.sgs.com.tr



TEST REPORT Job No./Report No TR2587945 Date:06 January 2025 Page 7 of 7 Flame persistence time >5s and Flame М3 М3 M4 M4 M4 Spread <2 mm/s

Statement: This declaration of conformity is only based on the result of this laboratory activity, the impact of the uncertainty of the results was not included.

**This test was performed by SGS Anji Laboratory.

End of Test Report

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-and-conditions/terms-e-documents and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Unsigned test reports are considered appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. If it is important for the test result, the environmental conditions are specified SSS amplied shared risk decision rule.

SGS applied shared risk decision rule.
SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Unless further specified in an individual contract the sample(s) retention time is 30 days."

In this Test Report tests marked (1) are included in the TURKAK Accreditation Scope of this Laboratory.

Bağlar Mah. Osmanpaşa Cad. No.95 İş İstanbul Plaza A Girişi Güneşli 34209 İstanbul Türkiye t +90 212 368 40 00 - t +90 212 296 47 82 83 - a sgs.lurkoy@ags.com -w www.sgs.com tr